


Zfw



AMENDMENT TRANSMITTAL LETTER			Docket No. AMMAR 3.0-001	
Application No. 10/600,503-Conf. #5481		Filing Date June 20, 2003	Examiner G. W. Adams	Art Unit 3652
Applicant(s): Ronald A. Klempner				
Invention: WASTE TRANSFER SYSTEM				
TO THE COMMISSIONER FOR PATENTS				
Transmitted herewith is an amendment in the above-identified application. The fee has been calculated and is transmitted as shown below.				
CLAIMS AS AMENDED				
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate
Total Claims	46	- 46 =		x
Independent Claims	3	- 3 =		x
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>				
Other fee (please specify):				
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:				0.00
<input type="checkbox"/> Large Entity <input checked="" type="checkbox"/> Small Entity				
<input checked="" type="checkbox"/> No additional fee is required for this amendment.				
<input type="checkbox"/> Please charge Deposit Account No. _____ in the amount of \$ _____. A duplicate copy of this sheet is enclosed.				
<input type="checkbox"/> A check in the amount of \$ _____ to cover the filing fee is enclosed.				
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.				
<input checked="" type="checkbox"/> The Director is hereby authorized to charge and credit Deposit Account No. <u>12-1095</u> as described below. A duplicate copy of this sheet is enclosed.				
<input checked="" type="checkbox"/> Credit any overpayment.				
<input checked="" type="checkbox"/> Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.				
 Arnold H. Krumholz Attorney Reg. No.: 25,428			Dated: <u>September 19, 2005</u>	
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP 600 South Avenue West Westfield, New Jersey 07090 (908) 518-6304				

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: September 19, 2005

Signature: 

(Arnold H. Krumholz)

Docket No.: AMMAR 3.0-001
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Ronald A. Klempner

Application No.: 10/600,503

Filed: June 20, 2003

For: WASTE TRANSFER SYSTEM

:
:
:
:
: Group Art Unit: 3652

:
: Examiner: G. W. Adams
:
:
:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT

Dear Sir:

In response to the official action mailed June 17, 2005, applicant submits the following amendments and remarks.

IN THE SPECIFICATION

Please replace paragraphs [0081], [0082], [0091] with the following rewritten paragraph:

[0081] When one or more local trucks 10 discharges into the standard container which reach the maximum volumetric or weight capacity of the standard container as determined by the scale 14 at the bottom of the frame 1, excess waste may be picked out of the container and located into an adjacent container. When the container is fully loaded (with one or multiple truck discharges) a tight fitting vinyl, aluminum, steel, or canvas tarp is placed on top of the container. In Figure 4 a Lifter 13 with the Spreader ~~12~~29 moves over the standard container and lowers the Spreader until it makes contacts with the Intermodal

Twist Locks 7 located at the top of the container's side walls. Figure 4 depicts a crane (bridge or gantry crane) straddling the container as a Lifter 13, but side loader, bridge, gantry, stick cranes and other lifting devices may be employed.

[0082] The Spreader ~~12~~-29 is specifically designed to match the dimension of the standard container, which is 10 1/2' wide as compared to the standard intermodal spreader which are only 8 1/2' wide.

[0091] The Spreader ~~13~~-29 may come in a variety of shapes not depicted in the attached figures provided that the pick points on the Spreader ~~13~~-29 match up with the intermodal twist locks on the standard container, which are located 20' long and 10 1/2' wide. Thus, in order to be accommodated to the size of the standard container, the Spreader must be able to be expanded as compared to the size of smaller containers such as those previously utilized.